

Versatile Selective Laser Melting

High Power Laser in a Compact Footprint
for Flexible Manufacturing



SLM[®] 125

Selective Laser Melting Machine

Adaptable and robust for a wide range of users

Highest power in its class
with a 400W laser

Material Development Module
to edit over 200 process parameters

Top quality features of larger SLM® machines
in a compact footprint

The highest, safest performance available in its class at a low investment

Offering a larger build plate and higher-powered laser than other similar-sized machines, the SLM®125 is a flexible manufacturing system to fit users' specific needs. Metal additive manufacturing beginners can develop processes that scale to larger SLM® systems, research institutes benefit from a material development toolkit and production facilities can run prototype, small series and qualified production components. All selective laser melting powders, including reactive materials, can be processed on the SLM®125.

Open system architecture puts selective laser melting users in control

All machines from SLM Solutions allow the use of materials from any supplier. This gives users the freedom to source qualified metal powder from SLM Solutions' powder division or from their own supplier, as well as the flexibility to develop new alloys. The integrated SLM® Build Processor and open software architecture offer the choice of running standard parameters supplied by SLM Solutions or to customize and optimize parameters to meet their production needs and gain a competitive advantage.

Small Machine, Big Results

SLM[®] 125

Selective Laser Melting Machine




Technical Specifications

Build Envelope (L x W x H)	125 x 125 x 125 mm reduced by substrate plate thickness
Build Volume Reduction (L x W x H)	50 x 50 x 50 mm reduced by substrate plate thickness
3D Optics Configuration	Single (1x 400 W) IPG fiber laser
Real Build Rate	up to 25 cm ³ /h
Variable Layer Thickness	20 µm - 75 µm, more available on request
Minimum Feature Size	140 µm
Beam Focus Diameter	70 µm - 100 µm
Maximum Scan Speed	10 m/s
Average Inert Gas Consumption in Process	0.6 l/min (Argon)
Average Inert Gas Consumption in Purging	70 l/min (Argon)
E-Connection / Power Input	400 Volt 3NPE, 32 A, 50/60 Hz, 3 kW
Compressed Air Requirement	ISO 8573-1:2010 [1:4:1] 7 bar
Machine Dimensions (L x W x H)	1400 mm x 900 mm x 2460 mm

*depending on material and build part geometry

Build Chamber Sizes



1 Compact, Powerful Machine for Metal Part Production

The SLM®125 build envelope is up to 160% larger than other machines in its class and is designed for cost-efficient process development and small to medium manufacturing of high-quality, fully dense metal parts.

The smallest machine in the SLM Solutions' lineup, the SLM®125 includes many of the top-quality features of our larger platforms in a compact footprint. The substrate plate can pre-heat to up to 200°C and the standard 400W fiber laser is the highest power offered on small machines to replicate production settings with up to 80% less metal powder than other systems. The machine utilizes an optimized gas filtration process with an adjustable gas flow that allows for optimal process properties and minimized gas consumption.

2 Efficient, Methodical Parameter Development Software

The material development module is an easy, intuitive software tool for a systematic analysis of parameter variation. Users gain the power of developing in-house material know-how and utilizing custom process settings. Automated parameter alignment through rule definition and the replication and positioning of parts on the build plate create time savings in alloy development and parameter optimization.

3 High-Quality Metal Powders and Reliable Powder Management Process

Stainless steel, cobalt-chrome, nickel alloys, aluminum and titanium, to name a few, can all be processed in top quality on all SLM Solutions selective laser melting systems. Both reactive and non-reactive metals can be processed in the standard SLM®125 configuration.

Thanks to the machine's compact design with a reduced number of powder-transporting components, materials can be changed quickly and easily. The Powder Sieving Machine (PSM) is a perfect complement to the SLM®125. During the sieving process, rough or oversized particles are sorted out and separated from the process-ready materials under inert atmosphere conditions. The reusable metal powder, defined by grain size, is transported to a storage container for direct loading into the gravity powder feed on the machine.

4 Customer-Oriented System for Additive Manufacturing Success

The SLM®125 can be adapted to customers' requirements and allows the user to scale their selective laser melting strategy. A variety of components and options make the SLM®125 an optimal system for all users, from research institutes working on new materials and process development to first-time users looking to gain best-in-class metal AM experience, as well as prototype manufacturers or, of course, those running qualified series production processes.



Quality Assurance of the Selective Laser Melting Process

Comprehensive monitoring and quality assurance enable a high degree of process documentation and verification. Chamber temperature, oxygen, gas flow and other variables are constantly monitored and logged. This level of process control results in consistent, high quality builds.

Layer Control System (LCS)

To ensure repeatable and reliable build quality, the LCS continuously checks the accuracy of each layer by monitoring the powder bed and detecting possible coating irregularities.

Melt Pool Monitoring (MPM)

Melt Pool Monitoring (MPM) is an available on-axis tool for visualizing the melt pool in the SLM® process. Data from MPM can be used as a resource for efficiently developing and evaluating the process parameters. In the production of safety-critical parts, the data collected serves as documentation for quality assurance.

Laser Power Monitoring (LPM)

Laser Power Monitoring (LPM) is an available on-axis monitoring system that continuously measures and documents target and actual emitted laser output throughout the production process.

Innovation Comes Standard

SLM Solutions is known as the innovation leader in selective laser melting, being the first to introduce both twin- and quad-laser production systems. Features such as bi-directional powder recoating to reduce manufacturing time, open powder architecture allowing use material from any supplier and full process parameter access for custom development come standard on every selective laser melting machine.

Qualified Material Solutions

SLM Solutions offers expert know-how that drives unique specifications to assure mechanical properties through the combination of machine, parameters and powder audited for composition, quality and flowability. Our material experts are always collaborating with customers to develop and source new alloys optimized for selective laser melting.

Consultative Development and Expert Knowledge-Sharing

SLM Solutions' consulting, applications, training and service teams put customer success first to ensure their return on investment is maximized. Our experts work with customers every step of their additive journey, from application identification and development to full serial production ramp-up.



SLM Solutions - Technology Pioneers, Innovation Leaders

SLM Solutions helped invent the laser powder bed fusion process, was the first to offer multi-laser systems and all selective laser melting machines offer patented quality, safety and productivity features. Taking a vested interest in customers' long-term success in metal additive manufacturing, SLM Solutions' experts work with customers at each stage of the process to provide support and knowledge-sharing that elevate use of the technology and ensure customers' return on investment is maximized. Optimal paired with SLM Solutions' software, powder and quality assurance products, the SLM® technology opens new geometric freedoms that can enable lightweight construction, integrate internal cooling channels or decrease time to market.

A publicly traded company, SLM Solutions Group AG focuses exclusively on metal additive manufacturing and is headquartered in Germany with offices in China, France, India, Italy, Russia, Singapore and the United States and a network of global sales partners.



SLM Solutions Group AG | Estlandring 4 | 23560 Lübeck | Germany
+49 451 4060 - 3000 | info@slm-solutions.com | slm-solutions.com

SLM is a registered trademark by SLM Solutions Group AG, Germany

